Page 1 of 6 Product: SAN FOAM Issued: March 2024



CHESSER CHEMICALS Pty Ltd 124 Days Rd FERRYDEN PARK South Australia 5010 Australia

T: +61 8 8406 0000 F: +61 8 8406 0099

**E:** <u>reception@chesserchemicals.com.au</u>

ABN Number: 67 008 262 039

CHESSER CHEMICALS Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular

# **Product: SAN FOAM**

**HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

**SIGNAL WORD: DANGER** 



Emergency Response No: CHEMWATCH

1800 951 288

RECOMMENDED PPE





**Health hazards** 

H314 Causes severe skin burns and Eye damage

### 1 IDENTIFICATION

**IDENTIFICATION** 

Product Code: SNF

Product Name: SAN FOAM Other Names: Not applicable

Foaming Sanitiser Cleaner Product Use:

Restrictions on use: Use as Directed

**COMPANY DETAILS** 

Company: CHESSER CHEMICALS Pty Ltd

ABN Number: 67 008 262 039 Address: 124 Days Road

FERRYDEN PARK SA 5010

Telephone Number: (08) 8406 0000 (08) 8406 0099 Facsimile Number:

**Emergency Telephone Number:** CHEMWATCH 1800 951 288

Other Information: This information summarises our best knowledge on the health and safety

hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace

including in conjunction with other products.



Page 2 of 6
Product: **SAN FOAM**Date Issued: March 2024

#### 2 HAZARD IDENTIFICATION

**HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

### Classification of the substance or mixture:

Skin corrosion/irritation - Category 1
Eye damage/irritation - Category 1

SIGNALWORD: DANGER

Hazard Statements Health hazards

H314 Causes severe skin burns and Eye damage

**Precautionary statements** 

**General precautionary statements** 

P102 Keep out of reach of Children

**Prevention precautionary statements** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P264 Wash Hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face

protection

Response precautionary statements

P310 Immediately call a POISON CENTRE or doctor/physician P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off Immediately all

contaminated clothing. Rinse SKIN with water/shower.

P363 Wash contaminated clothing before reuse

P304+p340 IF INHALED: Remove victim to fresh air and keep comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do – continue

rinsing

Storage precautionary statements

P405 Store locked up

**Disposal precautionary statements** 

P501 Dispose of contents/container in accordance with local regulations.

Poisons Schedule (SUSMP): Not scheduled

#### **3 COMPOSITION**

Ingredients

Chemical Entity CAS Number Proportion Risk Phrases

WATER [7732-18-5] > 60%

Benzalkonium chloride [139-07-1] 1 - 5% H314

Ingredients determined not to be hazardous Balance

#### **4 FIRST AID MEASURES**

**Ingestion:** Do NOT induce vomiting. Wash out mouth with water. Seek medical

attention.

**Eye:** If contact with eye(s) occurs, hold eyes lids apart and flush the eye

continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

Seek immediate medical attention.

**Skin:** Wash affected area thoroughly with water. If symptoms develop, seek

medical attention.

**Inhaled:** Not considered a probable path of exposure. If inhaled, remove victim

from contaminated area. Apply artificial respiration if not breathing. If

symptoms develop seek medical attention.

First Aid Facilities: Eye wash and normal wash room facilities.



Page 3 of 6
Product: **SAN FOAM**Date Issued: March 2024

**Advice to Doctor:** Treat symptomatically. Consult Poisons Information Centre (Phone Aus 13

1126)

#### **5 FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media** Non flammable. Water spray or fog, foam, dry chemical powder, BCF (where regulations permit) and carbon dioxide.

Hazards from Combustion: This product is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Heating may cause expansion or decomposition leading to violent rupture of containers. The packaging is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Combustion products include combustible materials, toxic fumes of carbon monoxide (CO), poisonous fumes, corrosive fumes and acrid smoke. Mists containing combustible materials may be explosive.

Precautions for Fire Fighters & Special Protective Equipment

Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.

**Protective Clothing & Equipment** Fire fighters should wear full protective clothing and self contained breathing apparatus(SCBA)

Hazchem Code No Hazchem code allocated

## **6 ACCIDENTAL RELEASE MEASURES**

Emergency Procedures: Clean up spills immediately. Restrict access to the area of spill until completion of cleanup. Spill area will remain slippery until completion of cleanup. For spills involving the release of a significant amount of product (for example: product released by the puncture or damage of containers resulting in a spill of more than a few litres) spilled material should be stopped from spreading by containment using a barrier of sand or other inert material. Use a mop or cloth to absorb spilled material. Flush collected product to sewer. Rinse spill area thoroughly with water. Materials used for containment may be discarded to tip or landfill. Copious amounts of foam may be generated during cleanup, especially during final rinse of spill area. Foam will collapse of its own accord. Completion of cleanup of spill area will be indicated when rinse fails to generate foam. If large quantities of this material enter storm water or waterways contact the Environmental Protection Authority. Personal Protective Equipment advice is contained in Section 8 of this SDS.

### **7 HANDLING AND STORAGE**

Precautions for Safe Handling: Chemicals' packaging is generally secure and safe, and handlers do not require special safety equipment to carry a chemical container containing this product. The product is usually dispensed directly into a sink or other tub and diluted with water. When dispensing, ensure that the risk of splashing is minimised. When product is supplied in bulk containers (5L and 15L drums) the product may be transferred into smaller bottles. When such transfer occurs, ensure risk of splashing is minimised. 15 L drums should be tapped for dispensing product (the drums are drilled and bunged for this purpose). Lifting bulk containers should be performed in accordance with the National Standard for Manual Handling [NOHSC: 1001(1990)].

Suitable container: Store in original containers
Storage Incompatibilities: No information available

**Storage Requirements:** Store product away from incompatible materials and foodstuff

containers. Store product in original containers in a cool, dry, well ventilated area away from direct sunlight. Keep containers securely

sealed. Store out of reach of children.

## **8 EXPOSURE CONTROL / PERSONAL PROTECTION**

**Exposure Standards:** None established for this product.

**Engineering Controls:** Natural ventilation should be adequate under normal use conditions.

**Personal Protection Equipment** 

**Respiratory Protection:** Not required under normal use conditions.



Page 4 of 6 Product: **SAN FOAM** Date Issued: March 2024

**Eye Protection:** Not required under normal use conditions. Where a risk of

splashing exists or when cleaning up significant spills, wear

chemical goggles or full face shield.

**Skin Protection:** Not required under normal use conditions. Where a risk of

splashing exists or when cleaning up significant spills, wear PVC or rubber gloves on hands and suitable impervious protective clothing. Safety boots with non-slip soles should be worn for spill

clean up





### 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear blue to maroon mobile liquid

Formula
Odour
Vapour Pressure
Vapour Density
Boiling Point
Melting Point
Solubility in Water
Not applicable.
Not applicable.
Not applicable.
Completely soluble

Specific Gravity 1.08

Flash Point
pH
13.2 (Neat at 25!C)
Lower Explosion Limit
Upper Explosion Limit
Upper Explosion Limit
Ignition Temperature
Specific Heat Value
Particle Size
Not applicable.
Not applicable.
Not applicable.
Not applicable.

Volatile Organic Compounds (VOC) Content Not applicable.

Evaporation Rate
Viscosity
Not applicable.
Percent Volatile
Octanol/Water partition coefficient
Saturated Vapour Concentration
Additional Characteristics
Not applicable.
Not applicable.
Not applicable.

Flame Propagation/Burning Rate of Solid Materials

Properties of Materials That May Initiate or Contribute to Fire Intensity

Not applicable.

Not applicable.

Potential for Dust Explosion

Reactions that Release Flammable Gases
Fast of Intensely Burning Characteristics

Not applicable.

Not applicable.

Not applicable.

Non-flammables That Could Contribute Unusual Hazards to a Fire
Release of Invisible Flammable Vapours and Gases
Not applicable.
Not applicable.

**Decomposition Temperature**Additional Information
Not applicable.
Not applicable.

### 10 STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of storage, handling and use.

Conditions to Avoid: None known

Incompatibilities Materials: No information available for this product Hazardous Decomposition Products: No information available for this product Hazardous Reactions: No information available for this product

## 11 TOXICOLOGICAL INFORMATION

**Inhalation:** This product is not thought to produce adverse health effects or irritation of the

respiratory tract.

**Ingestion:** This product is not harmful by ingestion when assessed against criteria of Safe

Work Australia. This product may still produce gastrointestinal tract discomfort that

may produce nausea and vomiting.

**Skin:** This product will cause severe irritation and chemical burns. Corrosive to skin. **Eye:** Will cause severe irritation and chemical burns. Corrosive to eyes. Prolonged

contamination can result in permanent injury or blindness.



Page 5 of 6 Product: SAN FOAM Date Issued: March 2024

Chronic effects: Repeated skin contact may lead to dermatitis or skin sensitising.

No toxicity data available for this product **Toxicology Information:** 

### 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** No toxicity data available for this product

Persistence/Degradability: Not available Not available **Mobility:** 

**Environ Protection:** Avoid contaminating waterways

### 13 DISPOSAL CONSIDERATIONS

Disposal Whatever cannot be saved for recovery or recycling should be managed in an

appropriate and approved waste facility. Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in

accordance with Local, State, and Federal Regulations or recycled/ reconditioned at

an approved facility.

**Special Precautions for Land Fill or Incineration** Contact a specialist disposal company or the local waste regulator for advice. This should be done in accordance with The Hazardous Waste Act.

# 14 TRANSPORT INFORMATION

**Land Transport & Sea Transport** 

**UN Number** None allocated **Shipping Name** Not Applicable **Dangerous Goods Class** None allocated Not applicable. **Subsidiary Risk Pack Group** None allocated **Precaution for User** None known **Hazchem Code** None allocated

**Marine Pollutant** 

## 15 REGULATORY INFORMATION

**Poisons Schedule** Not scheduled **EPG** Not applicable

**AICS Name** All ingredients are on inventory

#### **16 OTHER INFORMATION**

mm

Literature References No data available. No data available. **Sources for Data** 

Legend to Abbreviations and Acronyms less than

greater than **AICS** Australian Chemical Inventory of

Substances CAS Chemical Abstracts Service (Registry

Number) cm<sup>2</sup> square centimetres CO<sub>2</sub> Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) degrees Celsius

**ERMA Environmental Risk Management Authority** 

g/cm<sup>3</sup> grams per cubic centimetre

grams per litre g/l

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **Immiscible** liquids are insoluble in each other

kilogram Kg

kg/m³ kilograms per cubic metre

LC stands for Lethal Concentration. LC50 is LC<sub>50</sub>

the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1

or 4 hours.

LD stands for Lethal Dose. LD50 is the  $LD_{50}$ amount of a material, given all at once,

which causes the death of 50% (one half) of a group of test animals.

Ltr Litre  $m^3$ cubic metre millibar mbar milligram mg

mg/24H milligrams per 24 hours mg/kg milligrams per kilogram milligrams per cubic metre ma/m

Misc miscible

Miscible liquids form one homogeneous liquid phase

regardless of the amount of

component present millimetre

milli Pascal per second mPa.s

Not Applicable N/A

**NOHSC** National Occupational Health and Safety Commission

**OECD** Organization for Economic Co-operation

and Development PEL Permissible Exposure Limit

parts per billion ppb

parts per million ppm

ppm/2h parts per million per 2 hours ppm/6h parts per million per 6 hours **RCP** Reciprocal Calculation Procedure **STEL** Short Term Exposure Limit

TLV Threshold Limit Value

tne

**TWA** Time Weighted Average ug/24H micrograms per 24 hours



Page 6 of 6 Product: **SAN FOAM** Date Issued: March 2024

UN United Nations (number) Wt weight

Date Prepared:

Friday 8<sup>th</sup> March 2024 Version: 1.2 Supersedes: Tuesday 30<sup>th</sup> July 2019

Update Dates CHEMWATCH Phone Number



CHESSER CHEMICALS Pty Ltd 124 Days Road

FERRYDEN PARK SA 5010

Telephone: (08) 8406 0000 Facsimile: (08) 8406 0099

e-Mail: reception@chesserchemicals.com.au