



CHESSER CHEMICALS Pty Ltd
124 Days Rd FERRYDEN PARK
South Australia 5010 Australia
T: +61 8 8406 0000
F: +61 8 8406 0099
E: reception@chesserchemicals.com.au
ABN Number: 67 008 262 039

Disclaimer:
CHESSER CHEMICALS Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Product: DSOLV

HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

SIGNAL WORD:

DANGER



Physical hazards

H227 Combustible liquid

Health hazards

H304 May be fatal if swallowed and enters airways

H318 Causes serious eye damage

AUH066 Repeated exposure may cause skin dryness or cracking



Emergency Response No: **CHEMWATCH** 1800 951 288

RECOMMENDED PPE



GLOVES



SAFETY
GLASSES



1 IDENTIFICATION

IDENTIFICATION

Product Code: DSV
 Product Name: DSOLV
 Other Names: Not applicable
 Product Use: Solvent based degreaser and cleaner
 Restrictions on use: Use as Directed

COMPANY DETAILS

Company: CHESSER CHEMICALS Pty Ltd
 ABN Number: 67 008 262 039
 Address: 124 Days Road
 FERRYDEN PARK SA 5010
 Telephone Number: (08) 8406 0000
 Facsimile Number: (08) 8406 0099
 Emergency Telephone Number: CHEMWATCH 1800 951 288

Other Information: This information summarises our best knowledge on the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

2 HAZARD IDENTIFICATION

HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

Classification of the substance or mixture:

Flammable Liquids - Category 4
 Eye Damage/Irritation - Category 1
 Aspiration hazard - Category 1

SIGNALWORD: DANGER



Health Hazard



Corrosive



Environment

Hazard Statements

Physical hazards

H227 Combustible liquid

Health hazards

H304 May be fatal if swallowed and enters airways

H318 Causes serious eye damage

AUH066 Repeated exposure may cause skin dryness or cracking

Environmental hazards

H402 Harmful to aquatic life.

Other Hazards

None

Precautionary statements

General precautionary statements

P102 Keep out of reach of children.

P103 read label before use.

Prevention precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking

P264 Wash Hands thoroughly after handling



P280 Wear protective gloves, protective clothing, eye protection.

Response precautionary statements

P301 P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

P331 Do NOT induce vomiting

P302 P352 IF ON SKIN: wash with plenty of soap and water.

P321 Specific treatment (see ... on this label)

P332 P313 IF SKIN irritation occurs: Get medical advice/attention.

P370 P378 In case of fire: Use FOAM for extinction.

P310 Immediately call a POISON CENTRE or doctor/physician

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

Storage precautionary statements

P403 P235 Store in a well ventilated place. Keep cool

P233 Keep container tightly closed.

P405 Store locked up

Disposal precautionary statements

P501 Dispose of contents/container in accordance with local regulations.

Poisons Schedule (SUSMP): S5

3 COMPOSITION**Ingredients**

Chemical Entity	CAS Number	Proportion	Risk Phrases
Kerosene (petroleum); straight run kerosene	[8008-20-6]	> 60%	H304 H314 H319 H335
Nonionic Surfactant	[68439-50-9]	1 – 5%	H318
Ingredients determined not to be hazardous	Balance		

4 FIRST AID MEASURES

First Aid Measures	You should call a doctor or Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. Have the Safety Data Sheet with you when you call.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Ingestion	If swallowed, do NOT induce vomiting. Contact a physician or poison control centre immediately.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.
Eye	Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists.
Advice to Doctor	Product can be aspirated on swallowing or following regurgitation of stomach contents and can cause severe and potentially fatal chemical pneumonitis, which will require urgent treatment. Because of the risk of aspiration, induction of vomiting and gastric lavage should be avoided. Gastric lavage should be undertaken only after endotracheal intubation. Monitor for cardiac dysrhythmias.

5 FIRE FIGHTING MEASURES**Fire Extinguishing Media:**

In case of fire, appropriate extinguishing media include fog, foam, dry chemical or carbon dioxide. Do NOT use straight streams of water. Use water spray to cool fire exposed surfaces and to protect personnel.

Hazards from Combustion Products

The product is non-flammable, however, it is combustible and may support the combustion of oxidisable material such as paper, straw, sawdust, rags etc. Will float and can be reignited on surface water. Vapour is heavier than air, can spread along ground and distant ignition is possible. The packaging material may burn to emit noxious fumes.



SAFETY DATA SHEET

CHESSER CHEMICALS

Specific Hazards

Combustible liquid. Fire-exposed container may rupture/explode.

Precautions in connection with Fire

Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas where gases or fumes can accumulate. Do not use direct water stream. Eliminate ignition sources. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

Hazchem

None allocated

6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Any spillage should be regarded as a potential fire risk. Isolate the spillage from all ignition sources including road traffic. Ensure good ventilation. Evacuate all non-essential personnel from the immediate area. Wear protective equipment. (See Exposure Controls/Personal Protection, Section 8 of this SAFETY DATA SHEET for details) Contain and recover liquid using sand or other suitable inert absorbent material. It is advised that stocks of suitable absorbent material should be held in quantities sufficient to deal with any spillage which may be reasonably anticipated. Spilled material may make surfaces slippery. Clean up spilled material immediately. Recovery of large spillages should be affected by specialist personnel. Protect drains from potential spills to minimise contamination. Do not wash product into drainage system. Large and uncontained spillages should be smothered in foam to reduce the risk of ignition. The foam blanket should be maintained until the area is declared safe. Vapour is heavier than air and may travel to remote sources of ignition (eg. along drainage systems, in basements, etc.). If spillage has occurred in a confined space, ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry. In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the surface. Protect environmentally sensitive areas and water supplies. In case of spillage at sea, approved dispersants may be used where authorised by the appropriate regulatory authority. In the event of spillages, contact the appropriate authorities. Regular surveillance on the location of the spillage should be maintained. Keep unauthorised people away Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing

Clean Up Spills will be slippery so treat promptly. For minor spills mop up and rinse with water. For larger spills absorb material on mineral absorbent material or absorbent pads. Collect and put into plastic bags and dispose of through waste disposal contractor. Rinse area with water.

7 HANDLING AND STORAGE

Handling Ensure good ventilation and avoid, as far as reasonably practicable, the inhalation and contact with vapours, mists or fumes which may be generated during use. If such vapour, mists or fumes are generated, their concentration in the workplace air should be controlled to the lowest reasonably practicable level. Avoid contact with eyes. If splashing is likely to occur wear a full face visor or chemical goggles as appropriate. Avoid skin contact. Good working practices, high standards of personal hygiene and plant cleanliness must be maintained at all times. Do not siphon product by mouth. Whilst using, do not eat, drink or smoke. Wash hands thoroughly after contact. Use disposable cloths and discard when soiled. Do not put soiled cloths into pockets. Take all necessary precautions against accidental spillage into soil or water. Wear appropriate protective clothing to prevent skin and eye contact. Use in well ventilated area. Keep containers closed when not in use. Maintain a high standard of personal hygiene. Wash hands immediately after using product

Storage Store in the original container, in a cool, dry, well-ventilated area out of sunlight, away from incompatible materials and away from heat and open flames. Store away from foodstuffs. Keep containers closed when not in use to ensure contamination does not occur and check regularly for leaks. Do not combine part drums of the same product, as this may be a source of contamination. Do not mix with other chemicals. This material is a Scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations.

8 EXPOSURE CONTROL / PERSONAL PROTECTION



SAFETY DATA SHEET

CHESSER CHEMICALS

National Exposure Standards: No value assigned for this specific material
BIOLOGICAL LIMIT VALUES: No biological limit allocated.
ENGINEERING CONTROLS: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use with local exhaust ventilation or while wearing a respirator. Keep containers closed when not in use. Avoid generating and inhaling mists.
Personal Protection Equipment Protective equipment must be worn at all times. Risk assessments should always be conducted to identify the hazards and in turn determine the appropriate personal protective equipment for the hazard.
EYES: Safety glasses with side shields (AS1336/1337)
HANDS: Wear rubber or PVC gloves (AS2161).
CLOTHING: Long-sleeved protective clothing and safety footwear (AS3765/2210). Work Hygienic Practices No Data Available



9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear red liquid
Odour: Hydrocarbon solvent
Boiling Point: No information available
Specific Gravity: 0.90
Flash Point: >63°C
Flammability Limits: N/A
Solubility in Water: Insoluble
pH (neat): Not applicable

10 STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions of use and storage.
Hazardous Decomposition Products When involved in a fire, smoke, fume, oxides of carbon and other incomplete combustion products.
Hazardous Reaction: Hazardous reaction with strong oxidising agents
Hazardous Polymerization: Will not occur.
Incompatibilities: Strong oxidising agents
Conditions to Avoid: Heat, direct sunlight, open flames or sources of ignition.

11 TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion Harmful if swallowed. Capable of causing irritation and intoxication. Aspiration into lungs when swallowed or vomited may cause chemical pneumonitis.
Eye Contact Corrosive to eyes. May cause severe irritation. Prolonged contamination may result in permanent damage.
Skin Contact Capable of causing skin irritation and may defat the skin with continual use, leading to dermatitis.
Inhalation Vapours, mists and sprays are capable of causing irritation
Chronic Effects Prolonged or repeated contact with this material may result in skin irritation possibly leading to dermatitis.
Toxicological Data No information available for this product.

12 ECOLOGICAL INFORMATION

Persistence / Degradability No information available on biodegradability. Has the potential to bioaccumulate.
Mobility Floats on water. Adsorbs to soil and has low mobility
Environ. Protection Prevent this material from entering the environment.
Acute Toxicity -
Other Organisms Ecotoxicity of Liquid Hydrocarbons:

Fish	Low toxicity LC/EC/IC50	1000 mg/L
Aquatic Invertebrates	Low toxicity LC/EC/IC50	1000 mg/L
Algae	Low toxicity LC/EC/IC50	1000 mg/L



13 DISPOSAL CONSIDERATIONS

Disposal Methods: Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations. Refer to Waste Management Authority. Dispose of material through licensed waste contractor observing all federal, state and local regulations. Assure conformity with all applicable regulations. Empty containers should be forwarded to an approved agent for recycling. Avoid unauthorised discharge to sewer.

Special Precautions for Landfill or Incineration: The product is suitable for disposal by landfill through an approved agent. Do not incinerate; by products can be hazardous.

14 TRANSPORT INFORMATION

Land Transport & Sea Transport

UN Number	None allocated
Shipping Name	None allocated
Dangerous Goods Class	None allocated
Subsidiary Risk	Not applicable.
Pack Group	None allocated
Precaution for User	None known
Hazchem Code	None allocated
Marine Pollutant	Yes

15 REGULATORY INFORMATION

Poisons Schedule	S5
EPG	Not applicable
AICS Name	All ingredients are on inventory

16 OTHER INFORMATION

Literature References No data available.
Sources for Data No data available.

Legend to Abbreviations and Acronyms

<	less than	m ³	cubic metre
>	greater than	mbar	millibar
AICS	Australian Inventory of Chemical Substances	mg	milligram
CAS	Chemical Abstracts Service (Registry Number)	mg/24H	milligrams per 24 hours
cm ²	square centimetres	mg/kg	milligrams per kilogram
CO ₂	Carbon Dioxide	mg/m ³	milligrams per cubic metre
COD	Chemical Oxygen Demand	Misc	miscible
deg C (°C)	degrees Celsius	Miscible	liquids form one homogeneous liquid phase regardless of the amount of either component present
ERMA	Environmental Risk Management Authority	mm	millimetre
G	gram	mPa.s	milli Pascal per second
g/cm ³	grams per cubic centimetre	N/A	Not Applicable
g/l	grams per litre	NOHSC	National Occupational Health and Safety Commission
HSNO	Hazardous Substance and New Organism	OECD	Organization for Economic Co-operation and Development
IDLH	Immediately Dangerous to Life and Health	PEL	Permissible Exposure Limit
Immiscible	liquids are insoluble in each other	ppb	parts per billion
Kg	kilogram	ppm	parts per million
kg/m ³	kilograms per cubic metre	ppm/2h	parts per million per 2 hours
LC₅₀	LC stands for Lethal Concentration. LC ₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.	ppm/6h	parts per million per 6 hours
LD₅₀	LD stands for Lethal Dose. LD ₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.	RCP	Reciprocal Calculation Procedure
Ltr	Litre	STEL	Short Term Exposure Limit
		TLV	Threshold Limit Value
		tne	tonne
		TWA	Time Weighted Average
		ug/24H	micrograms per 24 hours
		UN	United Nations (number)
		Wt	weight

Date Prepared:

Tuesday 23rd January 2024 Version: 1.2Supersedes: Tuesday 2nd July 2019

Review HAZARDS



CHESSERCHEMICALS

SAFETY DATA SHEET

Page 7 of 7

Product:

DSOLV

Date Issued: January 2024

Review Dates



CHESSERCHEMICALS Pty Ltd
124 Days Road
FERRYDEN PARK SA 5010

Telephone: (08) 8406 0000
Facsimile: (08) 8406 0099
e-Mail: reception@chesserchemicals.com.au