SAFETY DATA SHEET

CHESSER CHEMICALS Pty Ltd
124 Days Rd FERRYDEN PARK
South Australia 5010 Australia
T: +61 8 8406 0000
F: +61 8 8406 0099
E: reception@chesserchemicals.com.au
ABN Number: 67 008 262 039

Product: OVEN CLEANER SPRAY

HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals.

SIGNAL WORD: **WARNING**

☎Emergency Response No: CHEMWATCH **1800 951 288**

RECOMMENDED PPE

GLOVES

SAFETY GLASSES

Health hazards

H319	Causes serious eye irritation
H315	Causes skin irritation

1 IDENTIFICATION

IDENTIFICATION

Product Code:	OVC
Product Name:	OVEN CLEANER SPRAY
Other Names:	Not applicable
Product Use:	Heavy Duty Alkaline oven cleaner
Restrictions on use:	Use as Directed

COMPANY DETAILS

Company:	CHESSER CHEMICALS Pty Ltd
ABN Number:	67 008 262 039
Address:	124 Days Road FERRYDEN PARK SA 5010
Telephone Number:	(08) 8406 0000
Facsimile Number:	(08) 8406 0099
Emergency Telephone Number:	CHEMWATCH 1800 951 288

Other Information: This information summarises our best knowledge on the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

2 HAZARD IDENTIFICATION

HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals.

Classification of the substance or mixture:

Skin corrosion/irritation - Category 2
Eye damage/irritation - Category 2

SIGNALWORD: **WARNING**

Hazard Statements

Health hazards

H319 Causes serious eye Irritation
H315 Causes skin irritation

Precautionary statements

General precautionary statements

P102 Keep out of reach of Children

Prevention precautionary statements

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/eye protection

Response precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P337+P313 IF eye irritation persists: Get medical advice/attention.
P302+P352 IF ON SKIN: wash with plenty of soap and water.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Poisons Schedule (SUSMP): Not scheduled

3 COMPOSITION

Ingredients

Chemical Entity	CAS Number	Proportion	Risk Phrases
Triethanolamine	[102-71-6]	10 – 30%	H315 H319
Potassium carbonate	[584-08-7]	1% - 5%	H319
Ingredients determined not to be hazardous		Balance	

4 FIRST AID MEASURES

Ingestion: If swallowed do NOT induce vomiting. Immediately wash out mouth with water. Seek urgent medical attention.

Eye: If in eyes, hold eye lids apart and flush eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek urgent medical attention.

Skin: If skin contact occurs, remove contaminated clothing and flush skin and hair with running water. Do not re-use contaminated clothing until washed. Seek medical attention.

Inhaled: Remove from contaminated area to fresh air. If problem persists seek urgent medical attention

First Aid Facilities Eye wash and normal wash room facilities such as safety shower

Advice to Doctor Product is a solution of surface active agents and alkali builders in aqueous solution. Treat symptomatically.

Medical Conditions Aggravated by Exposure No information available on medical conditions aggravated by exposure to this product.

5 FIRE FIGHTING MEASURES

Fire Extinguishing Media: Use appropriate extinguishing media to suit surrounding area.

Hazards from Combustion: Product is non-combustible. However packaging material may emit noxious fumes

Precaution for Fire Fighters: Wear chemical splash suit and SCBA Keep containers cool by spraying with water.

Hazchem None

6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Keep unauthorised people away do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing

Clean Up Spills will be slippery so treat promptly. For minor spills mop up and rinse with water. For larger spills absorb material on mineral absorbent material or absorbent pads. Collect and put into plastic bags and dispose of through waste disposal contractor. Rinse area with water.

7 HANDLING AND STORAGE

Handling Keep containers closed at all times – check regularly for leaks or spills. Transport and store upright. Avoid eye contact and repeated or prolonged skin contact.

Storage Store out of reach of children. Store in original container below 30°C and away from direct sunlight. Keep away from oxidising agents and strong acids. Protect from physical damage. Clean up spills and splashes promptly. Avoid secondary accidents.

8 EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Standards None assigned by Safe Work Australia for this product.

Engineering Controls Ensure ventilation is adequate to maintain air concentrations below exposure standards.

Personal Protection Equipment

EYES: Safety glasses with side shields (AS1336/1337)

HANDS: Wear rubber or PVC gloves (AS2161).

CLOTHING: Long-sleeved protective clothing and safety footwear (AS3765/2210). Work Hygienic Practices No Data Available

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear tan liquid with mild solvent odour
Boiling Point:	100°C
Melting Point:	N/A
Specific Gravity:	1.065
Flash Point:	>93°C
Flammability Limits:	N/A
Solubility in Water:	Soluble
pH (neat)	12.25

10 STABILITY AND REACTIVITY

Stability	Stable under normal conditions of use and storage.
Hazardous Decomposition Products:	Not applicable
Hazardous Polymerization:	Will not occur.
Incompatibilities:	Avoid contact with oxidising agents and strong acids

11 TOXICOLOGICAL INFORMATION

Ingestion Swallowing can result in nausea, vomiting, diarrhoea and abdominal pain. Can cause irritation to mouth, oesophagus and gastrointestinal tract.

Eye contact: Will cause severe irritation and chemical burns. Corrosive to eyes. Prolonged contamination can result in permanent injury or blindness.

Skin contact: Contact with skin may result in irritation.

Inhalation Irritating to the respiratory tract.

Chronic Effects Prolonged or repeated exposure to this product may result in skin irritation and possibly result in dermatitis.

Toxicological Data Non available for this product.

12 ECOLOGICAL INFORMATION

Ecotoxicity: No information found. Avoid contaminating waterways

13 DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Dispose of material through licensed waste contractor. Assure conformity with all applicable regulations.

14 TRANSPORT INFORMATION

Land Transport & Sea Transport

UN Number	None allocated
Shipping Name	Not Applicable
Dangerous Goods Class	None allocated
Subsidiary Risk	Not applicable.
Pack Group	None allocated
Precaution for User	None known
Hazchem Code	None allocated
Marine Pollutant	No

15 REGULATORY INFORMATION

Poisons Schedule	Not scheduled
EPG	Not applicable
AICS Name	All ingredients are on inventory

16 OTHER INFORMATION

Literature References No data available.
Sources for Data No data available.

Legend to Abbreviations and Acronyms

<	Less than
>	Greater than
AICS	Australian Inventory of Chemical Substances
CAS	Chemical Abstracts Service (Registry Number)
cm^2	square centimetres
CO_2	Carbon Dioxide
COD	Chemical Oxygen Demand
deg C (°C)	degrees Celsius
ERMA	Environmental Risk Management Authority
G	gram
g/cm^3	grams per cubic centimetre
g/l	grams per litre
HSNO	Hazardous Substance and New Organism
IDLH	Immediately Dangerous to Life and Health
Immiscible	liquids are insoluble in each other
Kg	kilogram
kg/m^3	kilograms per cubic metre
LC_{50}	LC stands for Lethal Concentration. LC_{50} is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD_{50}	LD stands for Lethal Dose. LD_{50} is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
Ltr	Litre
m^3	cubic metre
mbar	millibar
mg	milligram
mg/24H	milligrams per 24 hours
mg/kg	milligrams per kilogram
mg/m^3	milligrams per cubic metre
Misc	miscible
Miscible	liquids form one homogeneous liquid phase regardless of the amount of either component present
mm	millimetre
mPa.s	milli Pascal per second
N/A	Not Applicable
NOHSC	National Occupational Health and Safety Commission
OECD	Organization for Economic Co-operation and Development
PEL	Permissible Exposure Limit
ppb	parts per billion
ppm	parts per million
ppm/2h	parts per million per 2 hours
ppm/6h	parts per million per 6 hours
RCP	Reciprocal Calculation Procedure
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
tne	tonne
TWA	Time Weighted Average
ug/24H	micrograms per 24 hours
UN	United Nations (number)
Wt	weight

Date Prepared:
Thursday 18th January 2024 Version: 1.2 Supersedes: Friday 15th March 2019
Update Date

TQCSI ISO 9001:2015 Quality Certified AU625-QC

CHESSER CHEMICALS Pty Ltd
124 Days Road
FERRYDEN PARK SA 5010

Telephone: (08) 8406 0000
Facsimile: (08) 8406 0099
e-Mail: reception@chesserchemicals.com.au