



SAFETY DATA SHEET

Page 1 of 5
Product: **VANILLA WOODS**
Issued: February 2024



CHESSER CHEMICALS Pty Ltd
124 Days Rd FERRYDEN PARK
South Australia 5010 Australia
T: +61 8 8406 0000
F: +61 8 8406 0099
E: reception@chesserchemicals.com.au
ABN Number: 67 008 262 039

Disclaimer:
CHESSER CHEMICALS Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Product: **VANILLA WOODS**

HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

SIGNAL WORD: DANGER



Emergency Response No: **CHEMWATCH 1800 951 288**

RECOMMENDED PPE NOT APPLICABLE

Hazards	H315	Causes skin irritation
	H318	Causes serious eye damage

1 IDENTIFICATION

IDENTIFICATION

Product Code:	VWO
Product Name:	VANILLA WOODS
Other Names:	Not applicable
Product Use:	Deodorant cleaner sanitiser
Restrictions on use:	Use as Directed

COMPANY DETAILS

Company:	CHESSER CHEMICALS Pty Ltd
ABN Number:	67 008 262 039
Address:	124 Days Road FERRYDEN PARK SA 5010
Telephone Number:	(08) 8406 0000
Facsimile Number:	(08) 8406 0099
Emergency Telephone Number:	CHEMWATCH 1800 951 288

Other Information: This information summarises our best knowledge on the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.



2 HAZARD IDENTIFICATION

HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

Classification of the substance or mixture:

Eye damage/irritation – Category 1

Skin corrosion/irritation – Category 2

SIGNALWORD:

DANGER



Hazard Statements

H318

Causes serious eye damage

H315

Causes skin irritation

General Precautionary Statements:

P102

Keep out of reach of children

Preventative Precautionary Statements:

P280

Wear protective gloves/protective clothing/eye protection/face protection

P264

Wash hands thoroughly after handling.

Response Precautionary Statements:

P302 P352

IF ON SKIN: wash with plenty of soap and water.

P332 P313

IF skin irritation occurs: Get medical advice/attention.

P362 P364

Take off contaminated clothing and wash it before reuse

P310

Immediately call a POISON CENTRE or doctor/physician

P305 P351 P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

Poisons Schedule (SUSMP):

Not Scheduled

3 COMPOSITION

Ingredients

Chemical Entity	CAS Number	Proportion	Risk Phrases
WATER	[7732-18-5]	> 60%	
Benzalkonium chloride	[139-07-1]	1 – 5%	H314
Nonionic Surfactant	[160875-66-1]	1-5%	H315 H318
Ingredients determined not to be hazardous	Not applicable	to 100%	

4 FIRST AID MEASURES

Ingestion:

Do NOT induce vomiting. Wash out mouth with water. Seek medical attention.

Eye:

If contact with eye(s) occurs, hold eyes lids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

Skin:

Wash affected area thoroughly with water. If symptoms develop, seek medical attention.

Inhaled:

Not considered a probable path of exposure. If inhaled, remove victim from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.

First Aid Facilities:

Eye wash and normal wash room facilities.

Advice to Doctor

Treat symptomatically. Consult Poisons Information Centre (Phone AUS: 131 126)

5 FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Water spray or fog, foam, dry chemical powder, BCF (where regulations permit) and carbon dioxide.

Hazards from Combustion:

This product is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Heating may cause expansion or decomposition leading to violent rupture of containers. The packaging is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Combustion products include combustible materials, toxic fumes of carbon monoxide (CO), poisonous fumes, corrosive fumes and acrid smoke. Mists containing combustible materials may be explosive.



SAFETY DATA SHEET

CHESSER CHEMICALS

Precautions for Fire Fighters & Special Protective Equipment Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.

Protective Clothing & Equipment Fire fighters should wear full protective clothing and self contained breathing apparatus (SCBA)

Hazchem Code No Hazchem code allocated

6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Clean up spills immediately. Restrict access to the area of spill until completion of cleanup. Spill area will remain slippery until completion of cleanup. For spills involving the release of a significant amount of product (for example: product released by the puncture or damage of containers resulting in a spill of more than a few litres) spilled material should be stopped from spreading by containment using a barrier of sand or other inert material. Use a mop or cloth to absorb spilled material. Flush collected product to sewer. Rinse spill area thoroughly with water. Materials used for containment may be discarded to tip or landfill. Copious amounts of foam may be generated during cleanup, especially during final rinse of spill area. Foam will collapse of its own accord. Completion of cleanup of spill area will be indicated when rinse fails to generate foam. If large quantities of this material enter storm water or waterways contact the Environmental Protection Authority.

Personal Protective Equipment advice is contained in Section 8 of this SDS.

7 HANDLING AND STORAGE

Precautions for Safe Handling: Chemicals' packaging is generally secure and safe, and handlers do not require special safety equipment to carry a chemical container containing this product. The product is usually dispensed directly into a sink or other tub and diluted with water. When dispensing, ensure that the risk of splashing is minimised.

When product is supplied in bulk containers (5L and 15L drums) the product may be transferred into smaller bottles. When such transfer occurs, ensure risk of splashing is minimised. 15 L drums should be tapped for dispensing product (the drums are drilled and bunged for this purpose). Lifting bulk containers should be performed in accordance with the National Standard for Manual Handling [NOHSC: 1001(1990)].

Suitable container: Store in original containers

Storage Incompatibilities: No information available

Storage Requirements: Store product away from incompatible materials and foodstuff containers. Store product in original containers in a cool, dry, well ventilated area away from direct sunlight. Keep containers securely sealed. Store out of reach of children.

8 EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Standards: None established for this product.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection: Not required under normal use conditions.

Eye Protection: Not required under normal use conditions. Where a risk of splashing exists or when cleaning up significant spills, wear chemical goggles or full face shield.

Skin Protection: Not required under normal use conditions. Where a risk of splashing exists or when cleaning up significant spills, wear PVC or rubber gloves on hands and suitable impervious protective clothing. Safety boots with nonslip soles should be worn for spill clean up.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear red mobile liquid

Odour: Vanilla woody fragrance.

Boiling Point: N/A

Melting Point: N/A

Vapour Pressure: N/A

Specific Gravity: 1.00

Flash Point: N/A

Flammability Limits: N/A

Solubility in Water: Soluble at all use proportions

pH (neat): 9.0

10 STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of storage, handling and use.

Conditions to Avoid: None known

Incompatibilities Materials: No information available for this product



SAFETY DATA SHEET

CHESSER CHEMICALS

Hazardous Decomposition Products: No information available for this product
Hazardous Reactions: No information available for this product

11 TOXICOLOGICAL INFORMATION

Inhalation: This product is not thought to produce adverse health effects or irritation of the respiratory tract.
Ingestion: This product is not harmful by ingestion when assessed against criteria of Safe Work Australia. This product may still produce gastrointestinal tract discomfort that may produce nausea and vomiting.
Skin: This product is a skin irritant when assessed against criteria of Safe Work Australia. Direct skin contact may produce skin reactions for the individual, due to the removal of natural oils from the skin. Foreign body type discomfort may persist for a short time.
Eye: This product is a serious eye irritant when assessed against criteria of Safe Work Australia. Corrosive to eyes. Direct eye contact will produce immediate discomfort for the individual, with consequent reflex closure of the lid and tearing. Prolonged contamination may result in permanent damage.
Chronic effects: Not available
Toxicology Information: No toxicity data available for this product

12 ECOLOGICAL INFORMATION

Ecotoxicity: No toxicity data available for this product
Persistence/Degradability: No data available
Mobility: No data available
Environment Protection: Avoid contaminating waterways.

13 DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Dispose of waste through licensed waste contractor according to Federal, EPA, State and local regulations.

14 TRANSPORT INFORMATION

Land Transport & Sea Transport
UN Number None allocated
Shipping Name None allocated
Dangerous Goods Class None allocated
Subsidiary Risk Not applicable.
Pack Group None allocated
Precaution for User None known
Hazchem Code None allocated

15 REGULATORY INFORMATION

Poisons Schedule Not scheduled
EPG Not applicable
AICIS Name All ingredients are on inventory

16 OTHER INFORMATION

Literature References No data available.
Sources for Data No data available.

Legend to Abbreviations and Acronyms

< less than
> greater than
AICIS Australian Inventory of Chemical Substances
CAS Chemical Abstracts Service (Registry Number)
cm² square centimetres
CO₂ Carbon Dioxide
COD Chemical Oxygen Demand
deg C (°C) degrees Celsius
ERMA Environmental Risk Management Authority
G gram
g/cm³ grams per cubic centimetre
g/l grams per litre
HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health
Immiscible liquids are insoluble in each other
Kg kilogram
kg/m³ kilograms per cubic metre
LC₅₀ LC stands for Lethal Concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
Ltr Litre
m³ cubic metre
mbar millibar



SAFETY DATA SHEET

CHESSERCHEMICALS

mg	milligram	PEL	Permissible Exposure Limit
mg/24H	milligrams per 24 hours	ppb	parts per billion
mg/kg	milligrams per kilogram	ppm	parts per million
mg/m³	milligrams per cubic metre	ppm/2h	parts per million per 2 hours
Misc	miscible	ppm/6h	parts per million per 6 hours
Miscible	liquids form one homogeneous liquid phase regardless of the amount of either component present	RCP	Reciprocal Calculation Procedure
		STEL	Short Term Exposure Limit
mm	millimetre	TLV	Threshold Limit Value
mPa.s	milli Pascal per second	tne	tonne
N/A	Not Applicable	TWA	Time Weighted Average
NOHSC	National Occupational Health and Safety Commission	ug/24H	micrograms per 24 hours
		UN	United Nations (number)
OECD	Organization for Economic Co-operation and Development	Wt	weight

Date Prepared: Monday 19th February 2024 Version: 1.3

Supersedes: July 2022

Update Hazard Statement H319 to H318

Change  **WARNING** to  **DANGER**

Updated precautionary statements. Updated Chemwatch contact number.



CHESSER CHEMICALS Pty Ltd
124 Days Road
FERRYDEN PARK SA 5010

Telephone: (08) 8406 0000
Facsimile: (08) 8406 0099
e-Mail: reception@chesserchemicals.com.au