



# SAFETY DATA SHEET



CHESSER CHEMICALS Pty Ltd  
124 Days Rd FERRYDEN PARK  
South Australia 5010 Australia  
**Telephone +61 8 8406 0000**  
Facsimile +61 8 8406 0099  
Email [reception@chesserchemicals.com.au](mailto:reception@chesserchemicals.com.au)  
ABN Number: 67 008 262 039

*Disclaimer:*  
*CHESSER CHEMICALS Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.*

## Product: WIPE OUT

**HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals.

**SIGNAL WORD: DANGER**



**Emergency Response No: CHEMWATCH 1800 951 288**

### RECOMMENDED PPE



**GLOVES SAFETY GLASSES**

### Health hazards

H315 Causes skin irritation  
H318 Causes serious eye damage

### 1 IDENTIFICATION

#### IDENTIFICATION

Product Code: WPO  
Product Name: WIPE OUT  
Other Names: Not applicable  
Product Use: Automotive heavy duty cleaner  
Restrictions on use: Use as Directed

#### COMPANY DETAILS

Company: CHESSER CHEMICALS Pty Ltd  
ABN Number: 67 008 262 039  
Address: 124 Days Road  
FERRYDEN PARK SA 5010  
Telephone Number: (08) 8406 0000  
Facsimile Number: (08) 8406 0099  
Emergency Telephone Number: CHEMWATCH 1800 951 288

Other Information: This information summarises our best knowledge on the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.



## 2 HAZARD IDENTIFICATION

**HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals.

**Classification of the substance or mixture:**

Skin Corrosion/Irritation - Category 2  
Eye Damage/Irritation - Category 1

**SIGNALWORD:**

**DANGER**



Corrosion

**Hazard Statements**

**Health hazards**

H315 Causes skin irritation  
H318 Causes serious eye damage

**Precautionary statements**

**General precautionary statements**

P102 Keep out of reach of Children

**Prevention precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/eye protection

**Response precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P321 Specific treatment (see ... on this label)

P362+P364 Take off contaminated clothing and wash it before reuse

P310 Immediately call a POISON CENTRE or doctor/physician

**Poisons Schedule (SUSMP):** S5

## 3 COMPOSITION

**Ingredients**

Chemical Entity	CAS Number	Proportion	Risk Phrases
Surfactant Blend		10 - 20%	H315 H318
Alkaline salts		1 – 5%	H314 H318
Ingredients determined not to be hazardous		Balance	

## 4 FIRST AID MEASURES

**Ingestion:** If swallowed, DO NOT induce vomiting. Give a glass of water to drink. Seek urgent medical assistance.

**Eye:** If contact with eye(s) occurs, hold eyes lids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

**Skin:** Wash affected area thoroughly with water. If symptoms develop, seek medical attention.

**Inhaled:** If inhaled, remove victim from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.

**First Aid Facilities:** Eye wash and normal wash room facilities.

**Advice to Doctor** Treat symptomatically. Consult Poisons Information Centre (Phone Aus 131 126)

## 5 FIRE FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing media suitable for surrounding fire situation.

**Hazards from Combustion:**

This product is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Heating may cause expansion or decomposition leading to violent



rupture of containers. The packaging is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Combustion products include combustible materials, toxic fumes of carbon monoxide (CO), poisonous fumes, corrosive fumes and acrid smoke. Mists containing combustible materials may be explosive.

### Precautions for Fire Fighters & Special Protective Equipment

Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.

### Protective Clothing & Equipment

Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended.

### Hazchem Code

No Hazchem code allocated

### Flammability

This material is not a flammable or combustible liquid

## 6 ACCIDENTAL RELEASE MEASURES

### Emergency Procedures:

Clean up spills immediately. Restrict access to the area of spill until completion of cleanup. Spill area will remain slippery until completion of cleanup. For spills involving the release of a significant amount of product (for example: product released by the puncture or damage of containers resulting in a spill of more than a few litres) spilled material should be stopped from spreading by containment using a barrier of sand or other inert material. Use a mop or cloth to absorb spilled material. Flush collected product to sewer. Rinse spill area thoroughly with water. Materials used for containment may be discarded to tip or landfill. Copious amounts of foam may be generated during cleanup, especially during final rinse of spill area. Foam will collapse of its own accord. Completion of cleanup of spill area will be indicated when rinse fails to generate foam. If large quantities of this material enter storm water or waterways contact the Environmental Protection Authority.

Personal Protective Equipment advice is contained in Section 8 of this SDS.

## 7 HANDLING AND STORAGE

### Precautions for Safe Handling:

Chemicals' packaging is generally secure and safe, and handlers do not require special safety equipment to carry a chemical container containing this product. When dispensing, ensure that the risk of splashing is minimised. When product is supplied in bulk containers, the product may be transferred into smaller bottles. When such transfer occurs, ensure risk of splashing is minimised. 25 L drums should be tapped for dispensing product (the drums are drilled and bunged for this purpose). Lifting bulk containers should be performed in accordance with the National Standard for Manual Handling [NOHSC:1001(1990)].

**Suitable container:** Store in original containers

**Storage Incompatibilities:** No information available

**Storage Requirements:** Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition. Store away from oxidizing agents. Keep containers closed, when not using the product. Store in original packages as approved by manufacturer.

## 8 EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Standards:** None listed for product.

**Engineering Controls:** Natural ventilation should be adequate under normal use conditions.

**Respiratory Protection:** Not required under normal use conditions.

**Eye Protection:** Not required under normal use conditions. Where a risk of splashing exists or when cleaning up significant spills, wear chemical goggles or full face shield.

**Skin Protection:** Not required under normal use conditions. Where a risk of splashing exists or when cleaning up significant spills, wear PVC or rubber gloves on hands and suitable impervious protective clothing. Safety boots with nonslip soles should be worn for spill clean up.





## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Clear fluorescent yellow liquid with a slight solvent odour.
<b>Odour:</b>	Mild solvent
<b>Boiling Point:</b>	N/A
<b>Melting Point:</b>	N/A
<b>Specific Gravity:</b>	1.055
<b>Flash Point:</b>	None
<b>Flammability Limits:</b>	N/A
<b>Solubility in Water:</b>	Soluble at all use proportions
<b>Other Properties</b>	
<b>pH (1% solution)</b>	11.0

## 10 STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable under normal conditions of storage, handling and use.
<b>Conditions to Avoid:</b>	Heat, flames, ignition sources and incompatibilities
<b>Incompatibilities Materials:</b>	Strong alkalis, acids, oxidising agents
<b>Hazardous Decomposition Products:</b>	Emits smoke and fumes when heated to decomposition
<b>Hazardous Polymerisation:</b>	Will not occur
<b>Hazardous Reactions:</b>	No information available for this product

## 11 TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

<b>Inhalation:</b>	May cause irritation to the nose, throat and respiratory system with effects including: Dizziness, headache and loss of co-ordination.
<b>Ingestion:</b>	May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.
<b>Skin:</b>	Irritating to the skin. Contact with skin will cause irritation, redness and itching.
<b>Eye:</b>	Corrosive to eyes. Contact will cause severe irritation with effects including: tearing, pain, stinging and blurred vision. Prolonged contamination may result in permanent injury.
<b>Chronic effects:</b>	Not available
<b>Toxicology Information:</b>	No Data available.

## 12 ECOLOGICAL INFORMATION

<b>Ecotoxicity:</b>	No toxicity data available for this product
<b>Mobility:</b>	Readily dilutes with water.
<b>Persistence / Degradability:</b>	Readily Biodegradable.
<b>Chemical Fate Information:</b>	There is no ecological information available for this product. However, large quantities should not be discharged into drains, sewers or waterways.
<b>Environ Protection:</b>	Avoid contaminating waterways

## 13 DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Dispose of waste through licensed waste contractor according to Federal, EPA, State and local regulations

## 14 TRANSPORT INFORMATION

<b>Land Transport &amp; Sea Transport</b>	<b>UN Number</b>	None allocated
	<b>Shipping Name</b>	Not Applicable
	<b>Dangerous Goods Class</b>	None allocated
	<b>Subsidiary Risk</b>	Not applicable.
	<b>Pack Group</b>	None allocated
	<b>Precaution for User</b>	None known
	<b>Hazchem Code</b>	None allocated
	<b>Marine Pollutant</b>	No



## 15 REGULATORY INFORMATION

<b>Poisons Schedule</b>	S5
<b>EPG</b>	Not applicable
<b>AICS Name</b>	All ingredients are on inventory

## 16 OTHER INFORMATION

Literature References No data available.

Sources for Data No data available.

## Legend to Abbreviations and Acronyms

<	less than	m <sup>3</sup>	cubic metre
>	greater than	mbar	millibar
<b>AICS</b>	Australian Inventory of Chemical Substances	mg	milligram
<b>CAS</b>	Chemical Abstracts Service (Registry Number)	mg/24H	milligrams per 24 hours
<b>cm<sup>2</sup></b>	square centimetres	mg/kg	milligrams per kilogram
<b>CO<sub>2</sub></b>	Carbon Dioxide	mg/m <sup>3</sup>	milligrams per cubic metre
<b>COD</b>	Chemical Oxygen Demand	<b>Misc</b>	miscible
<b>deg C (°C)</b>	degrees Celsius	<b>Miscible</b>	liquids form one homogeneous liquid phase regardless of the amount of either component present
<b>ERMA</b>	Environmental Risk Management Authority	<b>mm</b>	millimetre
<b>G</b>	gram	<b>mPa.s</b>	milli Pascal per second
<b>g/cm<sup>3</sup></b>	grams per cubic centimetre	<b>N/A</b>	Not Applicable
<b>g/l</b>	grams per litre	<b>NOHSC</b>	National Occupational Health and Safety Commission
<b>HSNO</b>	Hazardous Substance and New Organism	<b>OECD</b>	Organization for Economic Co-operation and Development
<b>IDLH</b>	Immediately Dangerous to Life and Health	<b>PEL</b>	Permissible Exposure Limit
<b>Immiscible</b>	liquids are insoluble in each other	<b>ppb</b>	parts per billion
<b>Kg</b>	kilogram	<b>ppm</b>	parts per million
<b>kg/m<sup>3</sup></b>	kilograms per cubic metre	<b>ppm/2h</b>	parts per million per 2 hours
<b>LC<sub>50</sub></b>	LC stands for Lethal Concentration. LC <sub>50</sub> is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.	<b>ppm/6h</b>	parts per million per 6 hours
<b>LD<sub>50</sub></b>	LD stands for Lethal Dose. LD <sub>50</sub> is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.	<b>RCP</b>	Reciprocal Calculation Procedure
<b>Ltr</b>	Litre	<b>STEL</b>	Short Term Exposure Limit
		<b>TLV</b>	Threshold Limit Value
		<b>tne</b>	tonne
		<b>TWA</b>	Time Weighted Average
		<b>ug/24H</b>	micrograms per 24 hours
		<b>UN</b>	United Nations (number)
		<b>Wt</b>	weight

Date Prepared:

Tuesday 7<sup>th</sup> May 2024

Version: 1.3

Supersedes:

Wednesday 19<sup>th</sup> February 2020

Update Dates



**CHESSER CHEMICALS Pty Ltd**  
124 Days Road  
FERRYDEN PARK SA 5010

Telephone: (08) 8406 0000

Facsimile: (08) 8406 0099

e-Mail: [reception@chesserchemicals.com.au](mailto:reception@chesserchemicals.com.au)