



CHESSER CHEMICALS Pty Ltd  
124 Days Rd FERRYDEN PARK  
South Australia 5010 Australia  
**T: +61 8 8406 0000**  
F: +61 8 8406 0099  
E: [reception@chesserchemicals.com.au](mailto:reception@chesserchemicals.com.au)  
ABN Number: 67 008 262 039

*Disclaimer:*  
CHESSER CHEMICALS Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

## Product: SALUTE

**NOT HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

**SIGNAL WORD: DANGER**



### Health hazards

H318

Causes serious eye damage



Emergency Response No: **CHEMWATCH 1800 951 288**

**RECOMMENDED PPE**

**NOT APPLICABLE**

### 1 IDENTIFICATION

#### IDENTIFICATION

Product Code:	SLT
Product Name:	SALUTE
Other Names:	Not applicable
Product Use:	Manual dish washing detergent
Restrictions on use:	Use as Directed

#### COMPANY DETAILS

Company:	CHESSER CHEMICALS Pty Ltd
ABN Number:	67 008 262 039
Address:	124 Days Road FERRYDEN PARK SA 5010
Telephone Number:	(08) 8406 0000
Facsimile Number:	(08) 8406 0099
Emergency Telephone Number:	CHEMWATCH 1800 951 288

Other Information: This information summarises our best knowledge on the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.



## 2 HAZARD IDENTIFICATION

**HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

**Classification of the substance or mixture:**

Eye Damage/Irritation - Category 1

**SIGNALWORD: DANGER**



**Corrosive**

### Hazard Statements

Physical hazards

Health hazards

H318 Causes serious eye damage

### General Precautionary Statements:

P102 Keep out of reach of children

### Prevention Precautionary Statements:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, protective clothes and eye protection.

### Response precautionary statements:

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P310 Immediately call a POISONS CENTRE or doctor.

**Poisons Schedule (SUSMP):** Not Scheduled

## 3 COMPOSITION

### Ingredients

Chemical Entity	CAS Number	Proportion	Risk Phrases
WATER	[7732-18-5]	> 60%	
Anionic Surfactant	[68891-38-3]	1-10%	H318 H315
Ingredients determined not to be hazardous	Not applicable	to 100%	

## 4 FIRST AID MEASURES

**Ingestion:** Do NOT induce vomiting. Wash out mouth with water. Seek medical attention.

**Eye:** If contact with eye(s) occurs, hold eyes lids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

**Skin:** Wash affected area thoroughly with water. If symptoms develop, seek medical attention.

**Inhaled:** Not considered a probable path of exposure. If inhaled, remove victim from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.

**First Aid Facilities:** Eye wash and normal wash room facilities.

**Advice to Doctor** Treat symptomatically. Consult Poisons Information Centre (Phone Aus 131 126)

## 5 FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** Water spray or fog, foam, dry chemical powder, BCF (where regulations permit) and carbon dioxide.

**Hazards from Combustion:** This product is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Heating may cause expansion or decomposition leading to violent rupture of containers. The packaging is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon element will burn. Combustion products include combustible materials, toxic fumes of carbon monoxide (CO), poisonous fumes, corrosive fumes and acrid smoke. Mists containing combustible materials may be explosive.

**Precautions for Fire Fighters & Special Protective Equipment** Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control



# SAFETY DATA SHEET

Page 3 of 5  
Product: SALUTE  
Date Issued: January 2024

CHESSER CHEMICALS

fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.

**Protective Clothing & Equipment** Fire fighters should wear full protective clothing and self contained breathing apparatus (SCBA)

**Hazchem Code** No Hazchem code allocated

## 6 ACCIDENTAL RELEASE MEASURES

**Emergency Procedures:** Clean up spills immediately. Restrict access to the area of spill until completion of cleanup. Spill area will remain slippery until completion of cleanup. For spills involving the release of a significant amount of product (for example: product released by the puncture or damage of containers resulting in a spill of more than a few litres) spilled material should be stopped from spreading by containment using a barrier of sand or other inert material. Use a mop or cloth to absorb spilled material. Flush collected product to sewer. Rinse spill area thoroughly with water. Materials used for containment may be discarded to tip or landfill. Copious amounts of foam may be generated during cleanup, especially during final rinse of spill area. Foam will collapse of its own accord. Completion of cleanup of spill area will be indicated when rinse fails to generate foam. If large quantities of this material enter storm water or waterways contact the Environmental Protection Authority.

Personal Protective Equipment advice is contained in Section 8 of this SDS.

## 7 HANDLING AND STORAGE

**Precautions for Safe Handling:** Chemicals' packaging is generally secure and safe, and handlers do not require special safety equipment to carry a chemical container containing this product.

The product is usually dispensed directly into a sink or other tub and diluted with water. When dispensing, ensure that the risk of splashing is minimised.

When product is supplied in bulk containers (5L and 15L drums) the product may be transferred into smaller bottles. When such transfer occurs, ensure risk of splashing is minimised. 15 L drums should be tapped for dispensing product (the drums are drilled and bunged for this purpose). Lifting bulk containers should be performed in accordance with the National Standard for Manual Handling [NOHSC: 1001 (1990)].

**Suitable container:** Store in original containers

**Storage Incompatibilities:** No information available

**Storage Requirements:** Store product away from incompatible materials and foodstuff containers. Store product in original containers in a cool, dry, well ventilated area away from direct sunlight. Keep containers securely sealed. Store out of reach of children.

## 8 EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Standards:** None established for this product.

**Engineering Controls:** Natural ventilation should be adequate under normal use conditions.

**Respiratory Protection:** Not required under normal use conditions.

**Eye Protection:** Not required under normal use conditions. Where a risk of splashing exists or when cleaning up significant spills, wear chemical goggles or full face shield.

**Skin Protection:** Not required under normal use conditions. Where a risk of splashing exists or when cleaning up significant spills, wear PVC or rubber gloves on hands and suitable impervious protective clothing. Safety boots with non-slip soles should be worn for spill clean up.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear green viscous foaming liquid

**Odour:** Lemon fragrance.

**Boiling Point:** N/A

**Melting Point:** N/A

**Vapour Pressure:** N/A

**Specific Gravity:** 1.020

**Flash Point:** N/A

**Flammability Limits:** N/A

**Solubility in Water:** Soluble at all use proportions

**pH (neat):** 7.0

## 10 STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of storage, handling and use.

**Conditions to Avoid:** None known

**Incompatibilities Materials:** No information available for this product

**Hazardous Decomposition Products:** No information available for this product

**Hazardous Reactions:** No information available for this product



## 11 TOXICOLOGICAL INFORMATION

<b>Inhalation:</b>	This product is not thought to produce adverse health effects or irritation of the respiratory tract.
<b>Ingestion:</b>	This product is not harmful by ingestion when assessed against criteria of Safe Work Australia. This product may still produce gastrointestinal tract discomfort that may produce nausea and vomiting.
<b>Skin:</b>	This product is not a skin irritant when assessed against criteria of Safe Work Australia. Direct skin contact may still produce skin reactions for the individual. Foreign body type discomfort may persist for a short time.
<b>Eye:</b>	This product is a category 1 eye irritant when assessed against criteria of Safe Work Australia. Corrosive to eyes. Direct eye contact will produce immediate discomfort for the individual, with consequent reflex closure of the lid and tearing. Prolonged contamination may result in permanent damage.
<b>Chronic effects:</b>	Not available
<b>Toxicology Information:</b>	No toxicity data available for this product

## 12 ECOLOGICAL INFORMATION

<b>Ecotoxicity:</b>	No toxicity data available for this product
<b>Persistence/Degradability:</b>	No data available
<b>Mobility:</b>	No data available
<b>Environment Protection:</b>	Avoid contaminating waterways.

## 13 DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Dispose of waste through licensed waste contractor according to Federal, EPA, State and local regulations.

## 14 TRANSPORT INFORMATION

### Land Transport & Sea Transport

<b>UN Number</b>	None allocated
<b>Shipping Name</b>	None allocated
<b>Dangerous Goods Class</b>	None allocated
<b>Subsidiary Risk</b>	Not applicable.
<b>Pack Group</b>	None allocated
<b>Precaution for User</b>	None known
<b>Hazchem Code</b>	None allocated

## 15 REGULATORY INFORMATION

<b>Poisons Schedule</b>	Not scheduled
<b>EPG</b>	Not applicable
<b>AICS Name</b>	All ingredients are on inventory

## 16 OTHER INFORMATION

<b>Literature References</b>	No data available.
<b>Sources for Data</b>	No data available.

### Legend to Abbreviations and Acronyms

<	less than	<b>Kg</b>	kilogram
>	greater than	<b>kg/m<sup>3</sup></b>	kilograms per cubic metre
<b>AICS</b>	Australian Inventory of Chemical Substances	<b>LC<sub>50</sub></b>	LC stands for Lethal Concentration. LC <sub>50</sub> is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
<b>CAS</b>	Chemical Abstracts Service (Registry Number)	<b>LD<sub>50</sub></b>	LD stands for Lethal Dose. LD <sub>50</sub> is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
<b>cm<sup>2</sup></b>	square centimetres	<b>Ltr</b>	Litre
<b>CO<sub>2</sub></b>	Carbon Dioxide	<b>m<sup>3</sup></b>	cubic metre
<b>COD</b>	Chemical Oxygen Demand	<b>mbar</b>	millibar
<b>deg C (°C)</b>	degrees Celsius	<b>mg</b>	milligram
<b>ERMA</b>	Environmental Risk Management Authority	<b>mg/24H</b>	milligrams per 24 hours
<b>G</b>	gram	<b>mg/kg</b>	milligrams per kilogram
<b>g/cm<sup>3</sup></b>	grams per cubic centimetre	<b>mg/m<sup>3</sup></b>	milligrams per cubic metre
<b>g/l</b>	grams per litre	<b>Misc</b>	miscible
<b>HSNO</b>	Hazardous Substance and New Organism		
<b>IDLH</b>	Immediately Dangerous to Life and Health		
<b>Immiscible</b>	liquids are insoluble in each other		



# SAFETY DATA SHEET

**CHESSER**CHEMICALS

<b>Miscible</b>	liquids form one homogeneous liquid phase regardless of the amount of either component present	<b>ppm</b>	parts per million
<b>mm</b>	millimetre	<b>ppm/2h</b>	parts per million per 2 hours
<b>mPa.s</b>	milli Pascal per second	<b>ppm/6h</b>	parts per million per 6 hours
<b>N/A</b>	Not Applicable	<b>RCP</b>	Reciprocal Calculation Procedure
<b>NOHSC</b>	National Occupational Health and Safety Commission	<b>STEL</b>	Short Term Exposure Limit
<b>OECD</b>	Organization for Economic Co-operation and Development	<b>TLV</b>	Threshold Limit Value
<b>PEL</b>	Permissible Exposure Limit	<b>tne</b>	tonne
<b>ppb</b>	parts per billion	<b>TWA</b>	Time Weighted Average
		<b>ug/24H</b>	micrograms per 24 hours
		<b>UN</b>	United Nations (number)
		<b>Wt</b>	weight

## Date Prepared:

Wednesday 17<sup>th</sup> January 2024    Version: .1.2    Supersedes: Monday 25<sup>th</sup> March 2019  
Update classification due to changes in raw material classifications.  
Update CHEMWATCH phone number



**CHESSER CHEMICALS Pty Ltd**  
124 Days Road  
FERRYDEN PARK SA 5010

Telephone: (08) 8406 0000  
Facsimile: (08) 8406 0099  
e-Mail: [reception@chesserchemicals.com.au](mailto:reception@chesserchemicals.com.au)